

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:

Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.W226 N6339 Village Drive
Sussex, WI 53089 USA
info@vaportek.com
www.vaportek.com**DATE PREPARED:** January 2015FOR INFORMATION OR EMERGENCIES CALL:
(262) 246-5060
(800) 237-6367**SECTION 1: PRODUCT IDENTIFICATION:**

Product Name/Identity: Aromavision/Aromatherapy Liquid — Berry Variety (#15)

Applies to any of the following product numbers with a "15" suffix:

90-4120, 90-8000, 90-9000, 34-7600, 34-8000, 34-9000, 90-0931

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
Cinnamic Aldehyde	104-55-2	2.48	N/A	N/A	1
Benzaldehyde	100-52-7	3.50	N/A	N/A	1
Methyl Salicylate	119-36-8	3.76	N/A	N/A	
Iso Butyl Acetate	110-9-0	17.65	150	150	
Amyl Acetate	628-63-7	2.00	100	100	

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: Unknown

Melting Point: N/A.

Vapor Pressure: Unknown

Specific Gravity: 0.96 (+/- .05)

Solubility in Water: Insoluble

Vapor Density (Air = 1): Heavier

Volatiles, % by Volume: 100%

Evaporation Rate (Butyl Acetate = 1): N/A

Appearance and Odor: A pale yellow liquid with a characteristic berry-like scent.

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 101° F. (40.7C), Tag. Closed Cup Method.

Flammable Limits: LEL: N/A. UEL: N/A.

Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.

Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.

Unusual Fire and Explosion Hazards: None known to Vaportek.

NFPA Ratings: Health = 1, Flammability = 2, Reactivity = 0.

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.

Signs and symptoms of exposure:

Eyes: May cause temporary irritation by direct contact or fumes.

Skin: Prolonged contact may cause temporary irritation or redness.

Ingestion: Harmful if swallowed.

Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.

Emergency First Aid Procedures:

Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.

Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.

Ingestion: Drink water or milk and contact a physician.

Inhalation: Remove to fresh air and seek medical attention as necessary.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water.

Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.
 W226 N6339 Village Drive
 Sussex, WI 53089 USA
 info@vaportek.com
 www.vaportek.com

DATE PREPARED: January 2015
FOR INFORMATION OR EMERGENCIES CALL:
 (262) 246-5060
 (800) 237-6367

SECTION 1: PRODUCT IDENTIFICATION:

Product Name/Identity: Aromavision/Aromatherapy Liquid — Forest Variety (#25)
 Applies to any of the following product numbers with a "25" suffix:
 90-4120, 90-8000, 90-9000, 34-7600, 34-8000, 34-9000, 90-0931

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
--------------	-------	-------------	----------------	-----------------	-------

NONE

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: Unknown	Melting Point: N/A.
Vapor Pressure: Unknown	Specific Gravity: 0.94 (+/- .05)
Solubility in Water: Insoluble	Vapor Density (Air = 1): Heavier
Volatiles, % by Volume: 100%	Evaporation Rate (Butyl Acetate = 1): N/A
Appearance and Odor: A pale yellow liquid with a characteristic pine scent.	

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 115° F. (49C), Tag. Closed Cup Method.
 Flammable Limits: LEL: N/A. UEL: N/A.
 Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.
 Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.
 Unusual Fire and Explosion Hazards: None known to Vaportek.
 NFPA Ratings: Health = 1, Flammability = 2, Reactivity = 0.

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.
 Signs and symptoms of exposure:
 Eyes: May cause temporary irritation by direct contact or fumes.
 Skin: Prolonged contact may cause temporary irritation or redness.
 Ingestion: Harmful if swallowed.
 Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.
 Emergency First Aid Procedures:
 Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.
 Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.
 Ingestion: Drink water or milk and contact a physician.
 Inhalation: Remove to fresh air and seek medical attention as necessary.
 Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.
 Threshold Limit Value: Not determined by ACGIH or OSHA.
 Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification.

Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.

W226 N6339 Village Drive
 Sussex, WI 53089 USA
 info@vaportek.com
 www.vaportek.com

DATE PREPARED: January 2015

FOR INFORMATION OR EMERGENCIES CALL:
 (262) 246-5060
 (800) 237-6367

SECTION 1: PRODUCT IDENTIFICATION:

Product Name/Identity: Aromavision/Aromatherapy Liquid — Lavender Variety (#50)

Applies to any of the following product numbers with a "50" suffix:

90-4120, 90-8000, 90-9000, 34-7600, 34-8000, 34-9000, 90-0931

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
None					

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: Unknown

Melting Point: N/A.

Vapor Pressure: Unknown

Specific Gravity: 0.98 (+/- .05)

Solubility in Water: Insoluble

Vapor Density (Air = 1): Heavier

Volatiles, % by Volume: 100%

Evaporation Rate (Butyl Acetate = 1): N/A

Appearance and Odor: Clear yellow liquid with a characteristic lavender scent.

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 184° F. (84° C.)

Flammable Limits: LEL: N/A. UEL: N/A.

Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.

Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.

Unusual Fire and Explosion Hazards: None known to Vaportek.

NFPA Rating: Health: 1 Flammability: 2 Reactivity: 0

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.

Signs and symptoms of exposure:

Eyes: May cause temporary irritation by direct contact or fumes.

Skin: Prolonged contact may cause temporary irritation or redness.

Ingestion: Harmful if swallowed.

Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.

Emergency First Aid Procedures:

Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.

Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.

Ingestion: Drink water or milk and contact a physician.

Inhalation: Remove to fresh air and seek medical attention as necessary.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:

Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed.

Avoid contact with eyes and skin. Wash with soap and water after contact with liquid.

Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

Ingestion: Drink water or milk and contact a physician.
Inhalation: Remove to fresh air and seek medical attention as necessary.
Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.
Threshold Limit Value: Not determined by ACGIH or OSHA.
Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection:	Not required, but recommended.
Protective Clothing:	Generally not required.
Protective Gloves:	Not required, but recommended.
Respiratory Protection:	Generally not required.
Ventilation:	Generally not required; use mechanical exhaust as needed.
Work and Hygiene Practices:	Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.
W226 N6339 Village Drive
Sussex, WI 53089 USA
info@vaportek.com
www.vaportek.com

DATE PREPARED: January 2015
FOR INFORMATION OR EMERGENCIES CALL:
(262) 246-5060
(800) 237-6367

SECTION 1: PRODUCT DATA:

Product Name/Identity: Aromavision/Aromatherapy Liquid — Cinnamon Variety (#65)
Applies to any of the following product numbers with a "65" suffix:
90-4120, 90-8000, 90-9000, 34-7600, 34-8000, 34-9000, 90-0931

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
Cinnamic Aldehyde	104-55-22	64.94	N/A	N/A	1
Benzaldehyde	100-52-7	1.50	N/A	N/A	1

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: Unknown
Melting Point: N/A.
Vapor Pressure: Unknown
Specific Gravity: 1.05 (+/- .05).
Volatiles, % by Volume: 100%
Vapor Density (Air = 1): Heavier
Solubility in Water: Insoluble
Evaporation Rate (Butyl Acetate = 1): N/A.
Appearance and Odor: Clear yellow liquid with a characteristic cinnamon-like aroma.

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 200° F. (Tag. Closed Cup Method.)
Flammable Limits: LEL: N/A. UEL: N/A.
Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.
Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.
Unusual Fire and Explosion Hazards: None known to Vaportek.
NFPA Ratings: Health = 2, Flammability = 1, Reactivity = 1.

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.
Effects of Acute Exposure: May be irritating to skin, eyes and respiratory system.
Effects of Chronic Exposure: None known.
Emergency First Aid Procedures:
Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.
Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.
Ingestion: Drink water or milk and contact a physician.
Inhalation: Remove to fresh air and seek medical attention as necessary.
Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water.
Hazardous polymerization will not occur.
Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

(continued)

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection:	Not required, but recommended.
Protective Clothing:	Generally not required.
Protective Gloves:	Not required, but recommended.
Respiratory Protection:	Generally not required.
Ventilation:	Generally not required; use mechanical exhaust as needed.
Work and Hygiene Practices:	Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.
 W226 N6339 Village Drive
 Sussex, WI 53089 USA
 info@vaportek.com
 www.vaportek.com

DATE PREPARED: January 2015
FOR INFORMATION OR EMERGENCIES CALL:
 (262) 246-5060
 (800) 237-6367

SECTION 1: PRODUCT DATA:

Product Name/Identity: Aromavision/Aromatherapy Liquid — Citronella Variety (#70)
 Applies to any of the following product numbers: 34-7600-70, 90-7800, 90-7820

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS#	% by Weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
--------------	------	-------------	----------------	-----------------	-------

NONE

*NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: 419° F	Melting Point: N/A
Vapor Pressure: 0.15 MM HG @ 25C	Specific Gravity: 0.8985 (+/- .02)
Volatiles, % by Volume: 100%	Vapor Density (Air = 1): Not Available
Solubility in Water: Insoluble	Evaporation Rate (Butyl Acetate = 1): N/A.
Appearance and Odor: A light yellow to tan low viscosity oil with an aldehyde odor.	

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 175° F. (79° C.) (Tag. Closed Cup Method.)
 Flammable Limits: LEL: N/A. UEL: N/A.
 Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.
 Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.
 Unusual Fire and Explosion Hazards: None known to Vaportek.
 NFPA Ratings: Health = 1, Flammability = 2, Reactivity = 0.

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.
 Effects of Acute Exposure: May be irritating to skin, eyes and respiratory system.
 Effects of Chronic Exposure: None known.
 Emergency First Aid Procedures:
 Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.
 Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.
 Ingestion: Drink water or milk and contact a physician.
 Inhalation: Remove to fresh air and seek medical attention as necessary.
 Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:

Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.
 W226 N6339 Village Drive
 Sussex, WI 53089 USA
 info@vaportek.com
 www.vaportek.com

DATE PREPARED: January 2015
FOR INFORMATION OR EMERGENCIES CALL:
 (262) 246-5060
 (800) 237-6367

SECTION 1: PRODUCT IDENTIFICATION:

Product Name/Identity: Aromavision/Aromatherapy Liquid — Ocean Variety (#80)
 Applies to any of the following product numbers with an "80" suffix:
 90-4120, 34-7600, 90-0931

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
Styrallyl Acetate	93-92-5	.26	N/A	N/A	

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: N/A
 Vapor Pressure: N/A
 Solubility in Water: Insoluble
 Appearance and Odor: A clear yellow liquid with a citrus odor characteristic.

Melting Point: N/A.
 Specific Gravity: 0.95 (+/- .05)
 Vapor Density (Air = 1): Heavier

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: Greater than 200° F. (94.09C), Tag. Closed Cup Method.
 Flammable Limits: LEL: N/A. UEL: N/A.
 Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.
 Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.
 Unusual Fire and Explosion Hazards: None known to Vaportek.
 NFPA Ratings: Health = 1, Flammability = 1, Reactivity = 0.

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.
 Signs and symptoms of exposure:
 Eyes: May cause temporary irritation by direct contact or fumes.
 Skin: Prolonged contact may cause temporary irritation or redness.
 Ingestion: Harmful if swallowed.
 Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.
 Emergency First Aid Procedures:
 Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.
 Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse. If irritation persists, consult a physician.
 Ingestion: Drink water or milk and contact a physician.
 Inhalation: Remove to fresh air and seek medical attention as necessary.
 Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.
 Threshold Limit Value: Not determined by ACGIH or OSHA.
 Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and/or carbon dioxide may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act. This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

Threshold Limit Value: Not determined by ACGIH or OSHA.

Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:

Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.
Threshold Limit Value: Not determined by ACGIH or OSHA.
Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.
Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:
Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.
Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.
Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection:	Not required, but recommended.
Protective Clothing:	Generally not required.
Protective Gloves:	Not required, but recommended.
Respiratory Protection:	Generally not required.
Ventilation:	Generally not required; use mechanical exhaust as needed.
Work and Hygiene Practices:	Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed.

Avoid contact with eyes and skin. Wash with soap and water after contact with liquid.

Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification.

Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

VAPORTEK MATERIAL SAFETY DATA SHEET

(May be used for compliance with OSHA's Hazard Combination Standard 29 CFR 1910.1200)

MANUFACTURER: VAPORTEK, INC.
 W226 N6339 Village Drive
 Sussex, WI 53089-3971 USA
 info@vaportek.com
 www.vaportek.com

DATE PREPARED: January 2015
FOR INFORMATION OR EMERGENCIES CALL:
 (262) 246-5060
 (800) 237-6367

SECTION 1: PRODUCT IDENTIFICATION:

Product Name/Identity: Vaportek Odor Neutralizer – Original Classic Neutral Scent
 Stock Numbers: 80-2300, 90-4090, 90-4120, 90-8000, 90-9000, 34-8000,
 34-9000, 90-2222, 34-7600, 90-0931, 90-0922

SECTION 2: HAZARDOUS INGREDIENTS/PRODUCT IDENTIFICATION:

(As established by the American Conference of Governmental Hygienists and/or standards promulgated by the U.S. Occupational Safety and Health Administration.)

Component(s)	CAS #	% by weight	OSHA PEL (PPM)	ACGIH TLV (PPM)	NOTE*
Amyl Acetate	628-63-7	7.98	100	100	
Cinnamic Aldehyde	104-55-22	9.87	N/A	N/A	1
Methyl Salicylate	119-36-8	14.99	N/A	N/A	
Camphor Oil	8008-51-3	0.01	N/A	N/A	

NOTE: The following information applies only when a number appears in the right-hand NOTE column.

1. PEL/TLV not established for this item.
2. This item is listed as a toxic chemical subject of the SARA Sec. 313 Act of 1985.
3. This item is considered a carcinogen by OSHA, by NTP or by the IARC.

SECTION 3: PHYSICAL DATA/CHEMICAL CHARACTERISTICS:

Boiling Point: N/A
 Vapor Pressure: N/A
 Volatiles, % by Volume: 100%
 Solubility in Water: Insoluble
 Appearance and Odor: Clear golden yellow liquid with a characteristic spicy aroma.

Melting Point: N/A
 Specific Gravity: 0.96 (+/- .05).
 Vapor Density (Air = 1): Heavier than air
 Evaporation Rate (Butyl Acetate = 1) : <1

SECTION 4: FIRE AND EXPLOSION HAZARDS:

Flash Point: 132° F. (56° C.), TCC Method.
 Flammable Limits: LEL: N/A. UEL: N/A.
 Extinguishing Media: Carbon Dioxide, Dry Chemical or Universal Type Foam applied in accordance with manufacturer's instructions.
 Special Fire-fighting Procedures: Self-contained breathing apparatus and protective clothing should be worn whenever fighting fires involving chemicals.
 Unusual Fire and Explosion Hazards: None known to Vaportek.
 NFPA Ratings: Health = 2, Flammability = 2, Reactivity = 0

SECTION 5: HEALTH HAZARD DATA:

Possible routes of entry: Skin contact, eye contact, inhalation and ingestion.
 Signs and symptoms of exposure:
 Eyes: May cause temporary irritation by direct contact.
 Skin: Prolonged contact may cause temporary irritation or redness.
 Ingestion: Harmful if swallowed.
 Inhalation: As with any aromatic compound, prolonged or concentrated exposure may cause temporary respiratory irritation to some people.
 Emergency First Aid Procedures:
 Eyes: Flush with copious amounts of water for at least 15 minutes. If irritation persists, consult a physician.
 Skin: Wash affected area with soap. Remove any contaminated clothing and wash prior to reuse.
 Ingestion: Drink water or milk and contact a physician.
 Inhalation: Remove to fresh air and seek medical attention as necessary.
 Medical Conditions Generally Aggravated by Exposure: None known to Vaportek.
 Threshold Limit Value: Not determined by ACGIH or OSHA.
 Other significant and relevant laboratory data: None of the ingredients in this product are listed as carcinogens or potential carcinogens by NTP, IARC or OSHA.

(continued)

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act. This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled: Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated. Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed.

Avoid contact with eyes and skin. Wash with soap and water after contact with liquid.

Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification. Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.

SECTION 6: REACTIVITY DATA:

Stability: This product presents no significant reactivity hazard. It is stable and will not react violently with water. Hazardous polymerization will not occur.

Conditions/Materials to Avoid: Avoid heat, sparks and open flames. Avoid product contact or contamination with strong acids, alkalis or oxidizing agents. Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken if material is released or spilled:

Always use appropriate safety equipment. This material should present no toxicity or flammability hazard if spilled. If large amounts are spilled, it should be absorbed with an appropriate non-combustible material. Avoid sources of ignition.

Disposal Method: Dispose of in accordance with appropriate local, state and federal regulations.

Storage/Handling Precautions: Store in sealed containers in a cool, dry place that is well ventilated.

Wash area with soap and water.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION:

Eye Protection: Not required, but recommended.

Protective Clothing: Generally not required.

Protective Gloves: Not required, but recommended.

Respiratory Protection: Generally not required.

Ventilation: Generally not required; use mechanical exhaust as needed.

Work and Hygiene Practices: Good personal hygiene practices should always be observed. Avoid contact with eyes and skin. Wash with soap and water after contact with liquid. Contaminated clothing should be cleaned before reuse.

SECTION 9: REGULATORY STATUS:

This product is not subject to US Department of Transportation hazardous goods classification.

Based on currently available information, this product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California's Safe Drinking Water and Toxic Enforcement Act of 1986—Proposition 65. All applicable elements of this formulation are listed in the TSCA inventory, as required by the Toxic Substances Control Act (TSCA). This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

DISCLAIMER:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damages or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from, any statement or omission in this MSDS.